

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	122	gateway with queues and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 16:43
L2	8	gateway with queues and queue near15 transmitting and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 16:43
L3	8	gateway with queues and queue near15 transmitting and queue and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:00
L4	350	push\$4 same time near3 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:01
L5	123	push\$4 near10 time near3 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:01
L6	77	push\$4 near10 time near zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:01
L7	21	push\$4 near10 time adj zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:03
L8	0	push\$4 near10 time adj zone\$1 same broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:01

EAST Search History

L9	3631	time adj zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:03
L10	113	time adj zones near10 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:16
L11	0	pars\$4 same time adj zones near10 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:06
L12	1	pars\$4 same time adj zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:16
L13	0	push\$4 near15 time adj zones near10 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:17
L14	47	push\$4 and time adj zones near10 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:17
L15	10	push\$4 near10 content\$1 and time adj zones near10 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:27
L16	0	extract\$4 near15 time adj zones near10 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:22

EAST Search History

L17	12	extract\$4 near15 time adj zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:22
L18	123	schedul\$4 near15 time adj zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:28
L19	9	schedul\$4 near15 time adj zones same broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:50
L20	0	defin\$4 near15 time adj zones same broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:30
L21	5	select\$4 near15 time adj zones same broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:33
L22	1	select\$4 near15 time adj zones same push\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:32
L23	1	input\$4 near15 time adj zones same broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:34
L24	1	request\$4 near15 time adj zones same broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:37

EAST Search History

L25	0	selecting near15 time adj zones same broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:37
L26	0	"6745237".pn. and convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:59
L27	0	"20060073810" and convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:58
L28	1	"20060073810" and pull\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:58
L29	0	"6745237".pn. and pull\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 17:59
S1	409	push near10 gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:11
S2	39	push near10 pull near10 gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:12
S3	14	push near10 pull near10 gateway and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:12

EAST Search History

S4	4	push near10 pull near10 gateway and (@ad<"20011026" or @rlad<"20011026") and schedul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/27 13:13
S5	2	"6507589".pn. and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:12
S6	13	push near10 pull near10 gateway and (@ad<"20011026" or @rlad<"20011026") and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:34
S7	13	push near10 pull near10 proxy and (@ad<"20011026" or @rlad<"20011026") and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:23
S8	8	push near10 pull near10 proxy and (@ad<"20011026" or @rlad<"20011026") and time\$1 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:33
S9	30089	push near10 pull and (@ad<"20011026" or @rlad<"20011026") and time\$1 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:37
S10	49	push near10 gateway and (@ad<"20011026" or @rlad<"20011026") and time\$1 and pull\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:35
S11	3	push near10 gateway and (@ad<"20011026" or @rlad<"20011026") and broadcast\$4 near3 time\$1 and pull\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:35

EAST Search History

S12	1179	push near10 pull near10 transmi\$6 and (@ad<"20011026" or @rlad<"20011026") and time\$1 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:37
S13	248	push near10 pull near10 transmi\$6 same time\$1 and (@ad<"20011026" or @rlad<"20011026") not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:39
S14	1	push near10 pull near10 transmi\$6 same time\$1 and (@ad<"20011026" or @rlad<"20011026") and (content\$1 or application\$1) near2 provider\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:38
S15	1	push near10 pull near10 transmi\$6 same time\$1 and gateway and (@ad<"20011026" or @rlad<"20011026") not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:40
S16	311	push near10 pull and transmi\$6 same time\$1 and gateway and (@ad<"20011026" or @rlad<"20011026") not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:40
S17	164	push near10 pull and transmi\$6 near3 time\$1 and gateway and (@ad<"20011026" or @rlad<"20011026") not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:40
S18	91	push near10 pull and transmi\$6 near3 time\$1 and gateway and (@ad<"20011026" or @rlad<"20011026") not S6 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:40
S19	0	push near10 pull and transmi\$6 near3 time\$1 and gateway and (@ad<"20011026" or @rlad<"20011026") not S6 and cache and inbound near2 queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:41

EAST Search History

S20	61	push near10 pull and transmi\$6 near3 time\$1 and gateway and (@ad<"20011026" or @rlad<"20011026") not S6 and cache and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:41
S21	68	push near10 pull and transmi\$6 near3 time\$1 and gateway and (@ad<"20011026" or @rlad<"20011026") not S6 and cache and queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:43
S22	0	push near10 pull and transmi\$6 near3 time\$1 and push near5 gateway and (@ad<"20011026" or @rlad<"20011026") not S6 and cache and queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:18
S23	533	push near10 pull and schedul\$4 near5 time\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:19
S24	153	push near10 pull and schedul\$4 near5 time\$1 and (@ad<"20011026" or @rlad<"20011026") and gatewa\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:20
S25	5	push near10 pull and schedul\$4 near5 time\$1 and (@ad<"20011026" or @rlad<"20011026") and push near5 gatewa\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:24
S26	4	push near10 pull and schedul\$4 near5 time\$1 near10 push same pull and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:29
S27	0	gateway near15 time\$1 near10 push same pull and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:30

EAST Search History

S28	20	gateway near15 push same pull and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:30
S29	16	gateway near15 push same pull and (@ad<"20011026" or @rlad<"20011026") and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:34
S30	622100	push near10gateway and (@ad<"20011026" or @rlad<"20011026") and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:34
S31	113	push near10 gateway and (@ad<"20011026" or @rlad<"20011026") and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:34
S32	29	push near10 gateway and (content\$1 or application\$1) near3 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:35
S33	21	push near10 gateway and (content\$1 or application\$1) near3 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:45
S34	5	push near10 gateway same (content\$1 or application\$1) near3 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:48
S35	4	push near10 request\$1 near10 (content\$1 or application\$1) near3 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:59

EAST Search History

S36	76	push near10 (content\$1 or application\$1) near3 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 10:56
S37	5	(broadcast\$4 or push\$4) near10 request\$1 near10 (content\$1 or application\$1) near3 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:00
S38	13	(broadcast\$4 or push\$4) near10 request\$3 near10 (content\$1 or application\$1) near3 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:12
S39	19	(content\$1 or application\$1) near3 provider\$1 near10 request\$3 near10 (broadcast\$3 or push\$4) and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:27
S40	1044	request\$3 near10 (broadcast\$3 or push\$4) and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:17
S41	52	request\$3 near10 (broadcast\$3 or push\$4) same pull\$4 same address\$4 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:19
S42	21	request\$3 near10 gateway near10 (broadcast\$3 or push\$4) and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:24
S43	0	("20020156761" "20020049717" "20020016820" "20010042146" "20020095228" "20020068539") and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:25

EAST Search History

S44	11	("20020156761" "20020049717" "20020016820" "20010042146" "20020095228" "20020068539") and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:26
S45	2	("20020156761" "20020049717" "20020016820" "20010042146" "20020095228" "20020068539") and (@ad<"20011026" or @rlad<"20011026") and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:26
S46	237	(content\$1 or application\$1) near3 provider\$1 near10 (request\$3 or broadcast\$3 or push\$4) and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 11:28
S47	10	(content\$1 or application\$1) near3 provider\$1 near10 (request\$3 or broadcast\$3 or push\$4) near15 gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:37
S48	19	request\$3 near10 (broadcast\$3 or push\$4) near15 gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:37
S49	18	request\$3 near10 (broadcast\$3 or push\$4) near15 gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:46
S50	126	request\$3 near2 (broadcast\$3 or push\$4) and gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:47
S51	20	request\$3 near2 (broadcast\$3 or push\$4) same gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:50

EAST Search History

S52	126	request\$3 near2 (broadcast\$3 or push\$4) and gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:51
S53	381	request\$3 near10 (broadcast\$3 or push\$4) and gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:51
S54	41	request\$3 near10 (broadcast\$3 or push\$4) same gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 13:00
S55	0	request\$3 near10 (broadcast\$3 or push\$4) same gatewa\$2 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47 and iboc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 12:59
S56	1	request\$3 near10 (broadcast\$3 or push\$4)and (@ad<"20011026" or @rlad<"20011026") and push and pull and iboc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 13:00
S57	1	(@ad<"20011026" or @rlad<"20011026") and push and pull and iboc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 13:00
S58	422	request\$3 near10 (broadcast\$3 or push\$4) and profile\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 13:01
S59	28	request\$3 near10 (broadcast\$3 or push\$4) and profile\$1 near15 format\$1 and (@ad<"20011026" or @rlad<"20011026") and push and pull not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 13:20

EAST Search History

S60	26	request\$3 near2 (broadcast\$3 or push\$4) near15 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 13:28
S61	9	request\$3 near10 push same pull near15 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and push	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 13:42
S62	22	request\$4 near15 gateway near15 push and (@ad<"20011026" or @rlad<"20011026") and push	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 12:53
S63	356	ppg and(@ad<"20011026" or @rlad<"20011026") and push	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 14:02
S64	5	request\$3 near15 ppg near10 push and(@ad<"20011026" or @rlad<"20011026") and push	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/30 14:02
S65	18623	ppg and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 12:54
S66	25	(push near proxy near gateway) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 13:09
S67	74	(push near3 gateway) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 13:09

EAST Search History

S68	37149	(push near3 gateway) and (@ad<"20011026" or @rlad<"20011026")not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 13:09
S69	49	(push near3 gateway) and (@ad<"20011026" or @rlad<"20011026")not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 13:57
S70	21	schedul\$4 near15 push near15 content\$1 and (@ad<"20011026" or @rlad<"20011026")not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 17:24
S71	1	"20060073810" and push same pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 17:34
S72	0	"20060073810" and encod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 18:23
S73	2	"6829763".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:15
S74	0	"20060073810" and asp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:58
S75	1	"20060073810" and content near provider\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 12:56

EAST Search History

S76	0	"20030014483" and content near provider\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:01
S77	0	"20030014483" and asp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:14
S78	0	("6745237" "6822954").pn. and asp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:00
S79	7536	(content\$1) near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 12:57
S80	84883	(asp or (application near2 service\$1 near2 provider\$1)) (content\$1) near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 12:58
S81	197	(asp or (application near2 service\$1 near2 provider\$1))near10 (content\$1) near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:01
S82	4	(asp or (application near2 service\$1 near2 provider\$1))near10 (send\$4 or transmit\$4) near10 (data or content\$1) near15(content\$1) near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 12:59
S83	4	(asp or (application near2 service\$1 near2 provider\$1))near10 (data or content\$1) near10 transfer\$4 near15(content\$1) near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:00

EAST Search History

S84	0	(asp or (application near2 service\$1 near2 provider\$1))near10 push near15 (content\$1) near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:02
S85	121	(asp or (application near2 service\$1 near2 provider\$1))near10 (content\$1) near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026") and (data or content) near15 transfer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:03
S86	8	(asp or (application near2 service\$1 near2 provider\$1))near10 (content\$1) near2 provider\$1 same (data or content) near15 transfer\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:27
S87	11	(asp or (application near2 service\$1 near2 provider\$1))near10 request\$4 near10 (content\$1 adj2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:06
S88	6	(US-20020143819-\$ or US-20020083118-\$ or US-20020142763-\$ or US-20030014483-\$ or US-20050239454-\$).did. or (US-6507589-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/06/12 13:08
S89	5	(US-20020143819-\$ or US-20020083118-\$ or US-20020142763-\$ or US-20030014483-\$ or US-20050239454-\$).did. or (US-6507589-\$).did. and (asp or (application near2 service\$1 near2 provider\$1))	US-PGPUB; USPAT	OR	OFF	2006/06/12 13:08
S90	3	((US-20020143819-\$ or US-20020083118-\$ or US-20020142763-\$ or US-20030014483-\$ or US-20050239454-\$).did. or (US-6507589-\$).did.) and (asp or (application near2 service\$1 near2 provider\$1))	US-PGPUB; USPAT	OR	OFF	2006/06/12 13:17

EAST Search History

S91	1	((US-20020143819-\$ or US-20020083118-\$ or US-20020142763-\$ or US-20030014483-\$ or US-20050239454-\$).did. or (US-6507589-\$).did.) and (asp or (application near2 service\$1 near2 provider\$1)) and content near4 provider\$1	US-PGPUB; USPAT	OR	OFF	2006/06/12 13:17
S92	1	((US-20020143819-\$ or US-20020083118-\$ or US-20020142763-\$ or US-20030014483-\$ or US-20050239454-\$).did. or (US-6507589-\$).did.) and (asp or (application near2 service\$1 near2 provider\$1)) and content adj2 provider\$1	US-PGPUB; USPAT	OR	OFF	2006/06/12 13:17
S93	1	((US-20020143819-\$ or US-20020083118-\$ or US-20020142763-\$ or US-20030014483-\$ or US-20050239454-\$).did. or (US-6507589-\$).did.) and (asp or (application near2 service\$1 near2 provider\$1)) and content near2 provider\$1	US-PGPUB; USPAT	OR	OFF	2006/06/12 13:17
S94	1	((US-20020143819-\$ or US-20020083118-\$ or US-20020142763-\$ or US-20030014483-\$ or US-20050239454-\$).did. or (US-6507589-\$).did.) and (asp or (application near2 service\$1 near2 provider\$1)) and content near2 provider\$1	US-PGPUB; USPAT	OR	OFF	2006/06/12 13:17
S95	7	(asp or (application near2 service\$1 near2 provider\$1))near10 request\$4 near5 (data or content) near15 transfer\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:18
S96	10	(asp or (application near2 service\$1 near2 provider\$1))near10 request\$4 near15 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:20

EAST Search History

S97	97	(asp or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:20
S98	97	(asp or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (asp or (application near2 service\$1 near2 provider\$1)) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:21
S99	97	(asp or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (asp or (application near2 service\$1 near2 provider\$1)) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:21
S100	350	(asp or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (asp or (application near2 service\$1 near2 provider\$1)) request\$4 near10 (transfer\$4 or deliver\$4) near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:22
S101	0	(asp or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (asp or (application near2 service\$1 near2 provider\$1)) near10 request\$4 near10 (transfer\$4 or deliver\$4) near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:22

EAST Search History

S10 2	22	(asp or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (asp or (application near2 service\$1 near2 provider\$1)) near10 (transfer\$4 or deliver\$4) near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:23
S10 3	22	(asp\$1 or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (asp or (application near2 service\$1 near2 provider\$1)) near10 (transfer\$4 or deliver\$4) near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:24
S10 4	22	(asp\$1 or (application near2 service\$1 near2 provider\$1))near10 (content near2 provider\$1) and (asp\$1 or (application near2 service\$1 near2 provider\$1)) near10 (transfer\$4 or deliver\$4) near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:27
S10 5	24	(asp\$1 or (application near2 provider\$1))near10 (content near2 provider\$1) and (asp\$1 or (application near2 provider\$1)) near10 (transfer\$4 or deliver\$4) near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:27
S10 6	4	(asp\$1 or (application near2 provider\$1))near10 (content near2 provider\$1) and (asp\$1 or (application near2 provider\$1)) near10 (transfer\$4 or deliver\$4) near10 (content near2 provider\$1) and (@ad<"20011026" or @rlad<"20011026") not S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:28

EAST Search History

S10 7	45	(asp\$1 or (application near2 service\$1 near2 provider\$1)) near10 request\$4 near10 (transfer\$4 or deliver\$4)and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:38
S10 8	0	(asp\$1 or (application near2 service\$1 near2 provider\$1)) near10 request\$4 near10 push\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:39
S10 9	38	(asp\$1 or (application near2 service\$1 near2 provider\$1)) near10 push\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:01
S11 0	1	"20060073810" and application\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:53
S11 1	1	"20060073810" and provider\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:58
S11 2	2	"20060073810" and profile\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 13:58
S11 3	1	("6745237" "6822954").pn. and profile\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:01
S11 4	0	("6745237" "6822954").pn. and profile\$1 near16 format\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:01

EAST Search History

S11 5	0	"20030014483" and profile\$1 near16 format\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:01
S11 6	178	device\$1 near5 profile\$1 near16 format\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:02
S11 7	4	device\$1 near5 profile\$1 near16 transmission near2 format\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:03
S11 8	0	device\$1 near5 profile\$1 near16 format\$1 and iboc and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:02
S11 9	178	device\$1 near5 profile\$1 near16 format\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:04
S12 0	18	device\$1 near5 profile\$1 near16 format\$1 and device\$1 near5 profile\$1 near15 database\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:09
S12 1	178	device\$1 near5 profile\$1 near16 format\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:09
S12 2	20	database near15 device\$1 near5 profile\$1 near16 format\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:15

EAST Search History

S12 3	20	database near15 device\$1 near profile\$1 near16 format\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:34
S12 4	3	iboc near5 device\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:41
S12 5	1	"20030055933" and format\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:35
S12 6	1	"20030055977" and format\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:41
S12 7	64	request near15 identif\$5 near15 format\$1 near10 client\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:42
S12 8	2	request near15 identif\$5 near15 format\$1 near10 client\$1 same profile\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 14:44
S12 9	16	request\$3 near10 format\$1 near10 client\$1 same profile\$1 AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:17
S13 0	2	"20060073810" and (id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:14

EAST Search History

S13 1	0	"20030014483" and (id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:14
S13 2	3	("6745237" "6822954").pn. and (id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:14
S13 3	73	push near2 id AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:18
S13 4	38	push near id AND (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:18
S13 5	2	push near id AND stor\$4 near15 push near id and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:41
S13 6	0	extract\$4 near10 push near id and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:28
S13 7	37	queue near15 content near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:43
S13 8	2	queue near15 (send\$4 or transmit\$4) near15 content near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:45

EAST Search History

S13 9	3	queue\$1 near15 (send\$4 or transmit\$4) near15 content near2 provider\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:46
S14 0	112	gateway near15 queues and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:47
S14 1	6	gateway near15 queues and queue\$1 near10 (send\$4 or transmit\$4) near10 (server\$1 or provider\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:17
S14 2	1	"20020095228" and iboc near3 network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 15:56
S14 3	2	("20060073810" "20030014483") and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:34
S14 4	3	("6745237" "6822954").pn. and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:34
S14 5	15	gateway near15 bandwidth and queues same prioritiz\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:39
S14 6	10	gateway near15 bandwidth and bandwidth same queues same prioritiz\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:20

EAST Search History

S14 7	1	("20060073810" "20030014483") and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:37
S14 8	2	("6745237" "6822954").pn. and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:09
S14 9	1	("6745237" "6822954").pn. and gateway same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:37
S15 0	0	("20060073810" "20030014483") and gateway same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:03
S15 1	0	("6745237" "6822954").pn. and ppg same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:38
S15 2	1	precompil\$4 near10 binary near4 data and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:41
S15 3	4502	push\$4 near10 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:42
S15 4	159	push\$4 near10 time near5 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:42

EAST Search History

S15 5	1	push near3 request and push\$4 near10 time near5 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:45
S15 6	2	pars\$4 near10 time near5 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:53
S15 7	132	time near5 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:48
S15 8	0	time near5 zones near10 request near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:49
S15 9	132	time near5 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:49
S16 0	434	broadcast\$4 near10 time near5 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:54
S16 1	119	broadcast\$4 near10 time near5 zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:54
S16 2	0	requesting near14 broadcast\$4 near10 time near5 zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:54

EAST Search History

S16 3	119	broadcast\$4 near10 time near5 zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:57
S16 4	72	request\$4 near10 time near5 zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:12
S16 5	3	request\$4 near10 time near5 zones same broadcast\$ and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 16:57
S16 6	1	("20060073810" "20030014483") and http	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:29
S16 7	1	("20060073810" "20030014483") and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:11
S16 8	3	("6745237" "6822954").pn. and protocol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:09
S16 9	1	("20060073810" "20030014483") and wap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:12
S17 0	0	("20060073810" "20030014483") and timeout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:12

EAST Search History

S17 1	0	("6745237" "6822954").pn. and timeout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:12
S17 2	189	predefined near15 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:14
S17 3	1	tracking near10 predefined near15 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:13
S17 4	20	timer same predefined near15 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:15
S17 5	0	gateway same timer same predefined near15 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:14
S17 6	3	timer near15 tracking near10 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:16
S17 7	43	tracking near10 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:16
S17 8	1	gateway near10 tracking near10 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:19

EAST Search History

S17 9	43	tracking near10 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:19
S18 0	0	tracking near10 timeout\$1 near15 content and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:20
S18 1	0	tracking near10 timeout\$1 near15 content\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:20
S18 2	6	tracking near10 timeout\$1 near15 transmission\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:21
S18 3	43	tracking near10 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:22
S18 4	0	timeout\$1 near3 transmission near3 content\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:22
S18 5	273	timeout\$1 near3 transmission and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:22
S18 6	54	timer same timeout\$1 near3 transmission and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:49

EAST Search History

S18 7	1	timer same track\$4 same timeout\$1 near3 transmission and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:24
S18 8	3	track\$4 same timeout\$1 near3 transmission and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:25
S18 9	2	gateway same timeout\$1 near3 transmission and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:25
S19 0	282	gateway same timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:25
S19 1	139	gateway near15 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:25
S19 2	1	gateway near15 track\$4 near10 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:26
S19 3	3	("20060073810" "20030014483") and network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:29
S19 4	4457	timer same timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:49

EAST Search History

S19 5	30	timer near15 track\$4 near15 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:00
S19 6	171	track\$4 near15 timeout\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:53
S19 7	26	track\$4 near15 timeout\$1 same transmi\$6 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:53
S19 8	9	track\$4 near15 timeout\$1 same transmi\$6 near10 (data or content\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:58
S19 9	48	track\$4 near15 timeout\$1 same (data or content\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 17:56
S20 0	1	track\$4 near15 timeout\$1 same transmitted near10 (data or content\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:12
S20 1	12	track\$4 near15 timeout\$1 near15 (transmitted or sent)and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:01
S20 2	20	track\$4 near15 timeout\$1 near15 (data content\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:12

EAST Search History

S20 3	217	timeout\$1 near15 (transmitted or sent) near3 (data content\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:03
S20 4	8	monitor\$4 near15 timeout\$1 near15 (transmitted or sent) near3 (data content\$1) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:03
S20 5	3	("6745237" "6822954").pn. and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:09
S20 6	0	"20020142763" and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:12
S20 7	19233	push near15 time and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:12
S20 8	52	push near3 request near15 time and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:12
S20 9	0	ppg and push near3 request near15 time and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:13
S21 0	52	push near3 request near15 time and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:24

EAST Search History

S21 1	1630	queues and queue\$4 near15 transmitting and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:28
S21 2	0	queues and queue\$4 near15 transmitting and queue\$4 near15 stor\$4 near10 push same pull and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:29
S21 3	18	queue\$4 near15 stor\$4 near10 push same pull and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:32
S21 4	694937	push\$4 near15 time zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:32
S21 5	139	push\$4 near15 time near2 zone\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:33
S21 6	0	push\$4 near15 time near2 zone\$1 near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:33
S21 7	456	time near2 zone\$1 near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:34
S21 8	0	pars\$4 near15 time near2 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:34

EAST Search History

S21 9	125	time near2 zone\$1 near15 broadcast\$4 near10 (content\$1 or data) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:35
S22 0	16	time near2 zones near15 broadcast\$4 near10 (content\$1 or data) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:36
S22 1	0	request near10 time near2 zones near15 broadcast\$4 near10 (content\$1 or data) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:37
S22 2	0	request near15 time near2 zones near15 broadcast\$4 near10 (content\$1 or data) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:37
S22 3	1	request same time near2 zones near15 broadcast\$4 near10 (content\$1 or data) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:38
S22 4	0	(request or message) near15 time near2 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:39
S22 5	84	(request or message) near15 time near2 zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:39
S22 6	0	(request or message) near15 time near2 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:39

EAST Search History

S22 7	2	(request or message) same time near2 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:40
S22 8	1	specif\$5 near10 time near2 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:42
S22 9	6	select\$4 near10 time near2 zones near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:44
S23 0	2	request\$4 near15 broadcast\$4 near15 time near zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:46
S23 1	75	request\$4 near15 time near zones and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:53
S23 2	0	tbl near2 encoder and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:54
S23 3	11535	tbl and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:54
S23 4	16	tbl near15 encod\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 18:54